

ASSESSOR'S REFERENCE:
WARD 20 - PARCEL 810

DEED REFERENCE:
BOOK 41800 - PAGE 27
BOOK 7552 - PAGE 39
BOOK 5275 - PAGE 526

PLAN REFERENCE:
BOOK 4511 - PAGE 154
BOOK 7552 - PAGE 39
BOOK 5275 - PAGE 526


ZONING CLASSIFICATION:
ROSLINDALE NEIGHBORHOOD DISTRICT
TWO-FAMILY SUBDISTRICT 2F-5000

BWSC RECORD PLANS:
BWSC G.I.S. MAPS
PLAN No. A50-889
PLAN No. A66-35
PLAN No. H-1633

CITY FIELD NOTES:
BOOK 1170 PAGE 66
BOOK 1121 PAGE 2
BOOK 802 PAGE 114
BOOK 802 PAGE 122
BOOK 802 PAGE 138
BOOK 590 PAGE 24

LEGEND

○ DRAIN MANHOLE (DMH)	☆ LIGHT POLE (LP)
□ CATCH BASIN (CB)	○ PROPOSED LAMP POST (LAMP)
○ FLARED END SECTION (FES)	○ UTILITY POLE (UP)
○ SEWER MANHOLE (SMH)	○ UTILITY POLE w/ LIGHT (UP/LP)
○ ELECTRIC MANHOLE (EMH)	○ HAND HOLE (HH)
○ TELEPHONE MANHOLE (TMH)	○ VERTICAL GRANITE CURB (GC)
○ GAS GATE (GG)	○ SLOPED GRANITE EDGING (SGE)
○ GAS SERVICE (GS)	○ BITUMINOUS CONCRETE BERM (BB)
○ WATER GATE (WG)	○ CAPE COD BERM (CCB)
○ WATER SERVICE (WS)	○ PRECAST CONCRETE CURB (CC)
○ HYDRANT (HYD)	○ EDGE OF PAVEMENT (EP)
○ SPLASH BLOCK	○ SIGN



BWSC USE ONLY

BOSTON WATER AND SEWER COMMISSION
LOCATION APPROVED UNDER THE FOLLOWING CONDITIONS
No masonry, concrete, duct or pipe shall be placed nearer than one
foot of water or sewer pipes.

No structure shall be laid on the same grade as a water or sewer
pipe thereby blanketing the water and sewer pipe and preventing
service pipes to be installed.

No structure shall be laid over a water or sewer pipe and running
parallel with said water or sewer pipe, thereby preventing access to
it from the surface of the street.

The bending of any water and sewer pipe is absolutely forbidden.
No interference with any water and sewer structure shall occur.

Reviewed and approved as to proposed connection(s) to existing
Water and Sewer facilities as shown, for issue of Building Permit
Only. Additional Permits must be obtained from B.W.S.C. prior to
connection to B.W.S.C. facilities. Site Plans are valid for a period of
one (1) year from date of approval.

JOHN P. SULLIVAN, JR. P.E.
Chief Engineer

GENERAL NOTES

THIS PLAN HAS BEEN PREPARED FOR APPROVAL OF THE WATER, SEWER AND DRAIN
CONNECTIONS TO BWSC FACILITIES. IT IS UNDERSTOOD THAT THE RESPONSIBILITY OF
OWNERSHIP AND MAINTENANCE OF THE SEWER AND DRAIN CONNECTIONS ON PRIVATE
PROPERTY AND/OR PRIVATE AND PUBLIC WAYS SHALL BE THE RESPONSIBILITY OF THE
OWNER. IT IS ALSO UNDERSTOOD THAT THE WATER CONNECTION ON PRIVATE
PROPERTY INCLUDING PRIVATE WAYS IS ALSO THE RESPONSIBILITY OF THE OWNER.

IF CONNECTIONS CROSS OR CLOSELY ADJUT PROPERTY LINES, PROVISIONS MUST BE
MADE TO ALLOW FOR FUTURE MAINTENANCE OR RECONSTRUCTION. THESE
PROVISIONS MUST BE INCORPORATED INTO THE DEED AND PURCHASE, AND SALES
AGREEMENT FOR THE CONVEYANCE OF THIS AND THE ADJUTING AREA.

ALL MATERIALS AND CONSTRUCTION PRACTICES SHALL BE IN ACCORDANCE WITH THE
LATEST EDITION OF THE MASSACHUSETTS DEPARTMENT OF PUBLIC WORKS (MDPW)
CONSTRUCTION STANDARDS AND THE MDPW "STANDARD SPECIFICATION FOR HIGHWAY
AND BRIDGES", UNLESS OTHERWISE SPECIFIED BY THE BOSTON WATER AND SEWER
COMMISSION (BWSC), THE BOSTON PUBLIC WORKS DEPARTMENT (PWD), THE BOSTON
TRAFFIC AND PARKING DEPARTMENT (BTD) OR ANY OTHER AGENCY WITH AUTHORITY
IN THE AREA.

ALL EXISTING UTILITIES ENCOUNTERED DURING CONSTRUCTION THAT ARE NOT
INTENDED FOR REUSE SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER AND
THE ENGINEER. THE CONTRACTOR SHALL BE RESPONSIBLE FOR CUTTING AND
CAPPING ANY UTILITIES TO BE ABANDONED.

THE CONTRACTOR SHALL FILE APPLICATIONS FOR AND PAY ALL FEES FOR PERMITS
REQUIRED TO CONSTRUCT THE PROJECT AND ANY ASSULT PLANS REQUIRED BY THE
CONTROLLING AUTHORITIES.

IT IS THE CONTRACTOR'S RESPONSIBILITY TO TAKE FIELD NOTES WITH TIES TO THE
LOCATION AND ELEVATIONS OF ALL UTILITIES INSTALLED WHEN SURVEYORS ARE NOT
AVAILABLE TO RECORD THIS INFORMATION. THE CONTRACTOR SHALL PROVIDE THE
FIELD NOTES TO THE PROJECT ENGINEER OR LAND SURVEYOR TO BE USED FOR THE
PREPARATION OF ANY REQUIRED ASSULT PLANS.

IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO COORDINATE HIS WORK
WITH THE APPROPRIATE HIGHWAY AND UTILITY DEPARTMENTS. THE CONTRACTOR
SHALL MAINTAIN ALL EXISTING AND NEWLY INSTALLED UTILITIES IN GOOD WORKING
ORDER AND SHALL PROTECT THEM FROM DAMAGE AT ALL TIMES UNTIL THE WORK IS
COMPLETED AND APPROVED BY THE CONTROLLING AUTHORITY.

THE CONTRACTOR SHALL UTILIZE ALL MEASURES AND MATERIALS NECESSARY TO
ENSURE THE SAFETY OF ALL PERSONS AND PROPERTIES DURING CONSTRUCTION. ALL
WORK SHALL CONFORM TO CURRENT U.S. DEPARTMENT OF LABOR, OCCUPATIONAL
SAFETY AND HEALTH ADMINISTRATION (OSHA) STANDARDS.

THE CONTRACTOR SHALL PROVIDE APPROPRIATE EROSION AND SEDIMENTATION
CONTROL MEASURES AT ALL TIMES TO PREVENT IMPACT ON WATER BODIES,
BORDERING VEGETATED WETLANDS, CITY DRAINAGE SYSTEMS AND ADJUTING
PROPERTIES.

ANY PROPOSED GAS, ELECTRIC, STEAM, TELEPHONE, CABLE OR OTHER
UTILITY LINES ARE TO BE LOCATED AND SIZED BY OTHERS. ALL SERVICES SHALL
BE INSTALLED IN ACCORDANCE WITH THE REQUIREMENTS OF THE RESPECTIVE UTILITY.

ALL NEW CONSTRUCTION WILL REQUIRE A ROUGH CONSTRUCTION SIGN OFF
DOCUMENT FROM THE CITY OF BOSTON INSPECTIONAL SERVICES DEPARTMENT BEFORE
FILING FOR A GENERAL SERVICE APPLICATION.

THE CONTRACTOR SHALL NOTIFY THE MWRA FOR ANY WORK WITHIN 30 FEET OF
UTILITY LINES OWNED AND OR OPERATED BY THE MWRA AND OBTAIN PERMISSION IN
WRITING FROM THE MWRA PRIOR TO THE START OF WORK.

THE EXISTING WATER AND SEWER SERVICE LOCATIONS SHOWN ARE FROM AVAILABLE
BWSC RECORD DATA AND ARE APPROXIMATE ONLY. IT IS THE RESPONSIBILITY OF
THE CONTRACTOR TO ACCURATELY LOCATE THE EXISTING WATER AND SEWER LINES.
IF THE EXISTING SEWER SERVICE IS TO BE USED THE CONTRACTOR SHALL VISUALLY
INSPECT THE LINE BY EXCAVATION AND OR BY VIDEO OF THE PIPE AS REQUIRED BY
THE COMMISSION.

THE SANITARY SEWER SHALL BE CONSTRUCTED IN ACCORDANCE WITH THE
SPECIFICATIONS OF THE BOSTON WATER AND SEWER COMMISSION. CONNECTIONS
SHALL BE MADE IN ACCORDANCE WITH APPLICABLE PERMITS OBTAINED BY THE
CONTRACTOR.

SEWER SERVICE AND WATER SERVICE SHALL BE INSTALLED WITH A MINIMUM OF 18
INCHES OF VERTICAL SEPARATION.

IF PLUMBING FIXTURES ARE TO BE INSTALLED IN THE BASEMENT THEY WILL REQUIRE
THE PROTECTION OF A BACKWATER VALVE. (SEE DETAIL)

IT IS REQUIRED THAT A DYE TEST WILL BE PERFORMED BY THE BOSTON WATER AND
SEWER COMMISSION INSPECTOR BEFORE THE STRUCTURE IS OCCUPIED.

THE WATER SERVICE SHALL BE CONSTRUCTED IN ACCORDANCE WITH THE
SPECIFICATIONS OF THE BOSTON WATER AND SEWER COMMISSION. CONNECTIONS
SHALL BE MADE IN ACCORDANCE WITH APPLICABLE PERMITS OBTAINED BY THE
CONTRACTOR. UNLESS DIRECTED OTHERWISE, ALL WATER LINES SHALL BE INSTALLED
5' TO 6' BELOW GRADE. WHERE REQUIRED THURST RESTRAINTS SHALL BE INSTALLED
PER THE COMMISSION'S STANDARD DETAILS. THE ACTUAL METHOD OF RESTRAINT
WILL BE DETERMINED BY ACTUAL FIELD CONDITIONS.

NEW WATER LINES SHALL BE A MINIMUM OF TEN FEET AWAY FROM ALL SEWER
LINES, EXISTING OR PROPOSED.


A MINIMUM OF 18 INCHES OF VERTICAL SEPARATION IS REQUIRED WHERE A SEWER
LINE PASSES A WATER OR DRAIN LINE. OTHERWISE, THE WATER, SEWER AND DRAIN
LINES SHALL BE ENCASED IN CONCRETE FOR A MINIMUM OF 10 FEET FROM THE
CROSSING POINT.

THE CONTRACTOR SHALL SUPPLY THE COPPER SERVICE AND SHALL PERFORM THE
TAP AS PART OF HIS CONTRACT.

IT IS RECOMMENDED THAT DIGGING WITHIN ONE FOOT OF THE MAIN BE DONE WITH
HAND TOOLS ONLY.

ALL TRENCHES ARE TO BE BACKFILLED IN COMPACTED LAYERS OF 12 INCHES AND
ALLOWED TO SETTLE BEFORE APPLYING ASPHALT BASE COURSE OR AS IN STATED IN
THE ROAD OPENING PERMIT OBTAINED BY THE CONTRATOR FROM THE CITY.

WEST ROXBURY PARKWAY



PLAN NOTES

THE PROPERTY LINE AND TOPOGRAPHIC INFORMATION SHOWN ON THIS
PLAN IS BASED ON AN ACTUAL INSTRUMENT SURVEY LOCATING EXISTING
MONUMENTATION AND LINES OF OCCUPATION PERFORMED BY NORWOOD
ENGINEERING COMPANY CO., INC. BETWEEN AUGUST, 2011 AND JANUARY,
2012.

SEE BOSTON SEWER CO. VIDEO INSPECTION OF EXISTING SEWER LATERAL
FOR THE EXISTING DWELLING AT 196 ORANGE STREET. BOSTON SEWER
CO. ALSO MARKED LOCATED THE LATERAL CONNECTION TO THE 10"
SEWER MAIN IN ORANGE STREET.

LOCATION OF UNDERGROUND UTILITIES ARE APPROXIMATE ONLY, AND ARE
NOT WARRANTED TO BE CORRECT. UNDERGROUND UTILITIES ARE SHOWN
BASED ON RECORD DATA PROVIDED BY THE OPERATING AUTHORITIES, AND
HAVE BEEN FIELD INSPECTED WHERE POSSIBLE. ADDITIONAL UTILITIES MAY
EXIST WHICH ARE NOT INDICATED ON THESE PLANS. ALL EXISTING
UTILITIES SHALL BE VERIFIED FOR SERVICE, SIZE, INVERT ELEVATION,
LOCATIONS, ETC. PRIOR TO NEW CONNECTIONS TO OR RELOCATION OF
SAME. CONTRACTOR MUST NOTIFY DIG-SAFE AT 1-888-344-7233 AT
LEAST 72 HOURS PRIOR TO ANY CONSTRUCTION. NOTIFY THIS FIRM IN
WRITING OF ANY AND ALL DISCREPANCIES PRIOR TO COMMENCING ANY
WORK. THE BOSTON WATER AND SEWER COMMISSION IS NOT PART OF DIG
SAFE THEREFORE, FIELD LOCATIONS OF WATER AND SEWER LINES MUST
BE MARKED BY THE COMMISSION. CALL 1-617-330-9400 FORTY EIGHT
HOURS IN ADVANCE OF ANY EXCAVATION.

ASSESSOR'S PARCEL 20-00810-000 (11,000 SF) IS TO BE SUBDIVIDED
INTO TWO LOTS, LOT 'A' (6,500 SF) AND LOT 'B' (6,500 SF). THE
EXISTING BUILDING AT 196 ORANGE STREET WILL BE RAZED.

198 ORANGE STREET (LOT B)
PROPOSED USAGE: SINGLE-FAMILY DWELLING (4 BEDROOMS)
4 BEDROOMS X 110 GAL. / BEDROOM / DAY = 440 GAL. PER DAY

THE EXISTING IMPERVIOUS AREA OF THE LOT B IS 1,670 SQUARE FEET
AND THE PROPOSED IMPERVIOUS AREA IS 2,806 SQUARE FEET AN
INCREASE OF APPROXIMATELY 1,095 SQUARE FEET.

THE EXCAVATION AREA FOR THE WATER AND SEWER CONNECTIONS IN
THE PUBLIC WAY IS APPROXIMATELY 140 SF.

198 ORANGE STREET (LOT A)
PROPOSED USAGE: SINGLE-FAMILY DWELLING (4 BEDROOMS)
4 BEDROOMS X 110 GAL. / BEDROOM / DAY = 440 GAL. PER DAY

THE EXISTING IMPERVIOUS AREA OF THE LOT A IS 657 SQUARE FEET AND
THE PROPOSED IMPERVIOUS AREA IS 2,778 SQUARE FEET AN INCREASE
OF APPROXIMATELY 2,121 SQUARE FEET.

THE EXCAVATION AREA FOR THE WATER AND SEWER CONNECTIONS IN
THE PUBLIC WAY IS APPROXIMATELY 234 SF.

PIPE MATERIALS:
SEWER SERVICE TO BE 6" PVC ASTM D3034 - SDR 35
WATER SERVICE TO BE 1" TYPE K COPPER
ROOF COLLECTORS TO BE 6" FLEXIBLE ADS

BENCHMARKS (BASED ON BWSC RECORDS)
REFERENCE BENCHMARK "DMH 168"
2014 BENCHMARK - 104 (BWSC P.L.S. MADE) LOCATED AT 178

BACKWATER VALVE INSTALLATION

APPROVAL: *[Signature]* DATE: 02-19-12

ALL WATER, SEWER AND DRAIN SERVICE CONNECTIONS TO BOSTON
WATER AND SEWER COMMISSION FACILITIES MUST BE PERFORMED
BY A BONDED DRAIN LAYER LICENSED BY THE BOSTON WATER AND
SEWER COMMISSION.

BWSC INSPECTIONS

196 ORANGE STREET (EXISTING)	BWSC ACCOUNT No. 627710000
G.S.A. No. _____	WATER METER No. 03036377
ASSESSORS PARCEL No. _____	20-00810-000

- CUT & CAP EXISTING WATER (STA 1+01)
INSPECTOR _____ DATE _____
- RETURN EXISTING WATER METER TO BWSC
INSPECTOR _____ DATE _____
- SEWER VIDEO INSPECTION
INSPECTOR BOSTON SEWER CO. DATE 01-20-12
- CUT & CAP EXISTING SEWER (STA 1+16)
INSPECTOR _____ DATE _____

196 ORANGE STREET (LOT B)	BWSC ACCOUNT No. _____
G.S.A. No. _____	WATER METER No. _____
ASSESSORS PARCEL No. _____	PORTION OF PARCEL No. 20-00810-000

- 3/4" WATER (STA 1+37)
INSPECTOR _____ DATE _____
- WATER METER (INSIDE)
INSPECTOR _____ DATE _____
- 6" SEWER TO STUB (STA 1+16)
INSPECTOR _____ DATE _____
- SEWER CLEANOUT (STA 1+16)
INSPECTOR _____ DATE _____
- DYE TEST (SEWER)
INSPECTOR _____ DATE _____
- INFILTRATION SYSTEM (4" DRYWELL)
INSPECTOR _____ DATE _____

198 ORANGE STREET (LOT A)	BWSC ACCOUNT No. _____
G.S.A. No. _____	WATER METER No. _____
ASSESSORS PARCEL No. _____	PORTION OF PARCEL No. 20-00810-000


- 3/4" WATER (STA 0+91)
INSPECTOR _____ DATE _____
- WATER METER (INSIDE)
INSPECTOR _____ DATE _____
- 6" SEWER (STA 0+81)
INSPECTOR _____ DATE _____
- SEWER CLEANOUT (STA 0+81)
INSPECTOR _____ DATE _____
- DYE TEST (SEWER)
INSPECTOR _____ DATE _____
- INFILTRATION SYSTEM (4" DRYWELL)
INSPECTOR _____ DATE _____

CONTACT INFORMATION

OWNER: RALPH F CERONE 15 RIVERSIDE DRIVE KINGSTON, MA 02364 CONTACT: ANTHONY ROSS 617-327-2331	APPLICANT: VINCENT MARINO P.O. BOX 135 ROSLINDALE, MA 02131
---	---

BWSC SITE PLAN No. 1202B
196 & 198 ORANGE STREET
BOSTON, MASS.
(WEST ROXBURY DISTRICT 02131-3338)
SCALE: 1"=10' JANUARY 20, 2012
NORWOOD ENGINEERING CO., INC.
CIVIL ENGINEERS & LAND SURVEYORS
1410 ROUTE ONE, NORWOOD, MA 02062

REVISIONS




PROPOSED RESIDENCE
 100 CRANCE STREET
 ROUNDTOWN, MA.

DATE: 22 Aug 2011
 SCALE: 1/4" = 1'-0"
 DWN: E.H. Yeomans
 PLAN: 2800-11

FRONT ELEVATION

Edward H. Yeomans
 43 Gaslight Lane
 N. Easton, MA, 02336
 508.238.3873





PROPOSED RESIDENCE
 196 ORANGE STREET
 FRODOXDALE, MA

DATE: 22 AUG 2011
 SCALE: 1/4" = 1'-0"
 DWN: E.H. Yeomans
 PLAN: 2306-11

LEFT SIDE ELEVATION

Edward H. Yeomans
 43 Gaslight Lane
 N. Easton, MA, 02356
 508.238.3873




PROPOSED RESIDENCE
 196 CRANGE STREET
 BURLINGDALE MA

DATE: 22 AUG 2011
 SCALE: 1/4" = 1'-0"
 DWN: E.H. Yeomans
 PLAN: 2306-11

FLOOR PLANS

Edward H. Yeomans
 43 Gaslight Lane
 N. Easton, MA, 02356
 508.238.3873

FOUNDATION PLAN 1/4"=1'-0"



PROPOSED RESIDENCE
196 SPRING STREET
ROSLINDALE, MA.

DATE: 22 AUG 2011
SCALE: 1/4"=1'-0"
DWN: E.H. Yeomans
PLAN: 2302-11

FOUNDATION PLAN

Edward H. Yeomans
43 Gaslight Lane
N. Easton, MA, 02356
508.238.3873



Boston Inspectional Services Department
Planning and Zoning Division

1010 Massachusetts Avenue Boston, MA 02118 Telephone: (617) 635-5300

Thomas M. Menino
Mayor

Gary P. Moccia
Inspector of Buildings

October 17, 2011

ANTHONY ROSS
4394 WASHINGTON STREET
ROSLINDALE, MA 02131

RE: 198 Orange ST
WARD: 20
REF. APPLICATION NO.: **ERT94536**
PLAN REVIEWER: Thomas White
PHONE: : (617)961-3275

The following information is needed to enable the review process to be completed on the above application for permit. Please mail or drop off all requested information to **1010 Massachusetts Ave., 5th Floor, Counter 2, between 8AM and 4PM.** Providing all requested information will expedite the review process. Always refer to your application number when discussing this permit application.

1. Two sets of plans to scale showing all architectural, structural, electrical, mechanical and fire protection work are required, stamped & signed by a Massachusetts Registered Architect ("A.I.A.") or Engineer ("P.E.").
2. Two set of floor plans to scale are required, stamped & signed by a Mass. A.I.A. or P.E.
Please label all rooms, indicate all doors and windows, provide ceiling height.
 Two sets of foundation and framing plans with sizes and dimensions, stamped and signed by a Mass. A.I.A. or P.E.
3. The following approvals are required from: Landmarks, Parks & Recreation, Public Works,
 Lodging House Removal Permit (Rental Housing Resource) Boston Water & Sewer, Health Department,
 Mayor's Office of Neighborhood Services, Community Sanitation, Demo List.
4. Before your permit can be issued: A licensed Builder's information & signature are required (must be in person),
 A 1&2 family homeowner's affidavit is required (available at 1010 Mass. Ave.).
5. Two sets of plans showing all fire protection work are required, stamped & signed by a Massachusetts registered installer or engineer. Include: sprinkler plans including piping, hydraulic calculations,
 hydrant flow test less than 1 year old, sprinkler system narrative per 7890 CMR 901,
 fire alarm plans per 780 CMR 907 & 908.
6. Provide building elevation showing street frontage, existing signage, proposed signage, sign dimensions and location of sign on building facade.
7. Two copies of your plot plan/mortgage survey plan are required, certified by a Massachusetts Registered Land Surveyor.
Please indicate: All existing structures, All proposed additions/decks/dormers, All proposed/required off-street parking.
8. Design review is required by the Boston Redevelopment Authority due to: Board of Appeal proviso,
 Requirements of underlying zoning district, Small/Large Project Review (Article 80). Please pick up your plans at the Inspectional Services Department 1010 Mass. Ave. Please call the BRA at 617-722-4300 to schedule an appointment.
9. Please call to set up an appointment to discuss your application.
10. Your permit has been approved. Please provide your application number at Plans Examination, Counter 2 between 8am - 4pm when you arrive.
11. Additional Comments: 1 - Elevation drawings submitted are illegible. 2 - Foundation and framing plans are required. 3 - Plans submitted do not indicate any CO / Smoke detectors. 4 - ResCheck / Building thermal performance calculations are required

CITY OF BOSTON STREET NUMBERING FORM

TO STREET NUMBERING INSPECTOR, BUILDING DEPARTMENT
1010 Massachusetts Avenue, 5th Floor

Street ORANGE Ward 20 New Building 1
 Number 198 Parcel No. 810 Old Building 2
(New Number Required)
 District ROSLINDALE
 Owner's Name VINCENT MAMMO Old Building 3
(No Change in Number)
 Name of Applicant GARY MARTELL
 Street Numbering Inspector [Signature] Date 11-16-11

TO SUPERVISOR OF PERMITS, PUBLIC WORKS DEPARTMENT

IF 1 OR 2 IS CHECKED, INFORMATION
ON LEFT SIDE MUST BE COMPLETED
AND SIGNED BY STREET NUMBERING
INSPECTOR

TO PRINCIPAL ADMINISTRATIVE ASSISTANT, PUBLIC WORKS DEPARTMENT
Room 714, City Hall

An application for water/sewer service repair has been filed with the Boston water and Sewer Commission. Before any action is taken on this application. It is respectfully requested that you fill in the assigned DE Number below.

If new structure check here


Permit Address _____ Date _____
 _____ Type of work _____
 D.E. _____ Size of cut(s) _____
 Name of applicant _____
 Applicant's address _____

 Phone No. _____
 Information supplied by _____
 of the Boston Water and Sewer Commission

PRINCIPAL ADMINISTRATIVE ASSISTANT

RETURN TO { ENGINEERING SERVICES DEPARTMENT
 BOSTON WATER AND SEWER COMMISSION
 980 HARRISON AVENUE
 BOSTON, MA 02119-2540

Front Elevation 1/4" = 1'-0"




Project: 170-2100-0101
170-2100-0101
170-2100-0101

DATE: 22 Aug 2011
SCALE: 1/4" = 1'-0"
DWN: E.H. Yeomans
PLAN: 2300-11

Front Elevation

Edward H. Yeomans
43 Gaslight Lane
N. Easton, MA, 02356
508.238.3873



WEST SIDE ELEVATION


Arch. for Services

Project Name


DATE: 22 Aug 2011
 SCALE: 1/4" = 1'-0"
 DWN: E.H. Yeomans
 PLAN: 2320-1

WEST SIDE ELEVATION

Edward H. Yeomans
 43 Gashlight Lane
 N. Easton, MA, 02356
 508.238.3873



First Floor Plan 1/4" = 1'-0"




Second Floor Plan 1/4" = 1'-0"

PROPOSED RESIDENCE

DATE: 22 Aug 2011
 SCALE: 1/4" = 1'-0"
 DWN: E.H. Yeomans
 PLAN: 2300-11

FLOOR PLANS

Edward H. Yeomans
 43 Gaslight Lane
 N. Easton, MA, 02356
 508.238.3873



FOUNDATION PLAN 1/4" = 1'-0"

PROPOSED RESIDENCE
108 DRABIE STREET
BURLINGAME, MA

DATE: 22 Aug 2011
SCALE: 1/4" = 1'-0"
DWN: E.H. Yeomans
PLAN: 23001

FOUNDATION PLAN

Edward H. Yeomans
43 Gaslight Lane
N. Easton, MA, 02356
508.238.3873